



# Die Cast Aluminum Heat Sink For 1060 Alloy In Cooling

# **Basic Information**

- Place of Origin:
- Brand Name:
- Delivery Time:
- Payment Terms:
- No Brand

China, Guangdong

- 10-15 Workdays
- Terms: L/C, T/T, Western Union, MoneyGram



## **Product Specification**

- Compatibility: Universal
- Surface Treatmentment: Anodized, Customized
- Alloy: 1060
- Dimensions: Various Sizes Available
- Sample: Available
- Thermal Conductivity: High
- Mounting Type: Vertical
- Sample Leadtime: 15 Days
- Highlight: Die Cast Aluminum Heat Sink, Cooling Aluminum Heat Sink, 1060 Alloy Aluminum Heat Sink



### More Images



#### **Product Description:**

Our Aluminum Heatsink is made from premium-grade 1060 alloy With its anodized surface treatment, this Aluminum Heatsink is designed to withstand even the toughest conditions and offer long-lasting performance. In addition, it can be customized to meet your specific needs and requirements, ensuring that you get the perfect solution for your particular application.

#### Features:

Product Name: Die Cast Aluminum Heatsink ----Thermal Conductivity: High Alloy: 1060 Sample: Available Surface Treatmentment: Anodized, Customized Dimensions: Various Sizes Available Application: Heat sink extrusion for LED Lighting

#### **Technical Parameters:**

Product Attribute	Value
Product Name	Die Cast Aluminum Heat Sink
Compatibility	Universal
Dimensions	Various Sizes Available
Durability	High
Sample Leadtime	15 Days
Mounting Type	Vertical
Alloy	6063
Surface Treatment	Anodized, Customized
Thermal Conductivity	High
Application	LED Heat Sink

### **Applications:**

The product is suitable for various applications and scenarios. One of the most common applications is in LED lighting. LED heat sink is a crucial component in the design of LED lights. It helps to dissipate the heat generated by the LED, which can affect its performance and lifespan. With an aluminum heat sink, the LED can operate at optimal temperatures, ensuring maximum performance and longevity.

#### Packing :

Product Packaging:

The aluminum heatsink will be packed in a sturdy cardboard box to prevent any damage during transit. The heatsink will be placed inside a protective plastic bag to avoid any scratches or marks. There will be sufficient cushioning material inside the box to prevent any movement of the product.

The packaging will also include a user manual and installation guide for the product.

