




Universal Compatibility Aluminum Heat Sink With High Thermal Conductivity Enhanced Cooling Performance

Our Product Introduction

for more products please visit us on alu-heatsink.com


Basic Information

- Place of Origin: China, Guangdong
- Brand Name: No Brand
- Minimum Order Quantity: 1000
- Delivery Time: 10-15 Workdays
- Payment Terms: L/C, T/T, Western Union, MoneyGram





Product Specification

- Durability: High
- Alloy: 6063
- Compatibility: Universal
- Dimensions: Various Sizes Available
- Sample Leadtime: 15 Days
- Mounting Type: Vertical
- Thermal Conductivity: High
- Sample: Available
- Highlight: 6063 Aluminum Heat Sink,
High Thermal Conductivity Aluminum Heat Sink
, High Durability Aluminum Heat Sink



More Images



Product Description

Product Description:

Made from high-quality 6063 alloy, this heatsink offers excellent thermal conductivity, helping to draw heat away from your equipment and prevent overheating. Its vertical mounting type makes it easy to install and compatible with a wide range of devices, making it a great choice for anyone looking to keep their equipment running smoothly.

With a sample lead time of just 15 days, you can rest assured that you'll receive your Aluminum Heatsink quickly and with minimal hassle. And with its universal compatibility, you can use it to keep a wide range of equipment cool and running smoothly, from LED lighting to power stations and beyond.

Whether you're a DIY enthusiast looking to build your own lighting system or a professional electrician in need of a reliable heatsink for your latest project, our Aluminum Heatsink is the perfect choice. So why wait? Order yours today and experience the benefits of efficient heat dissipation and reliable performance!

Features:

Product Name: Aluminum Heatsink

Thermal Conductivity: High

Sample Leadtime: 15 Days

Compatibility: Universal

Mounting Type: Vertical

Surface Treatment: Anodized, Customized

This Aluminum heat sink is perfect for use with LED Lighting. It's high thermal conductivity ensures efficient heat dissipation for your LED heat sink needs.

Technical Parameters:

Product Attribute	Description
Product Name	Aluminum Heat Sink
Sample Leadtime	15 Days
Surface Treatment	Anodized, Customized
Sample	Available
Thermal Conductivity	High
Alloy	6063
Mounting Type	Vertical
Durability	High
Dimensions	Various Sizes Available
Compatibility	Universal

Applications:

The high durability of the aluminum heatsinks makes them perfect for use in harsh environments. They can withstand high temperatures and are resistant to corrosion, making them ideal for applications where reliability is essential.

The vertical mounting type of the aluminum heatsink ensures that they can be easily installed in electronic devices. This makes them ideal for use in LED lighting, power supplies, and other electronic devices that require efficient heat dissipation.

The high thermal conductivity of the aluminum heatsink extrusions ensures that they can effectively dissipate heat generated by electronic devices. This helps to ensure that the electronic devices operate at optimal temperatures, which can help to prolong their lifespan.

No Brand offers a sample lead time of 15 days, and samples are available for those who wish to test the quality of the aluminum heat sink extrusions before making a purchase. This ensures that customers can have confidence in the quality of the products they are purchasing.

In summary, No Brand's aluminum heat sink extrusions are perfect for use in LED lighting, power supplies, and other electronic devices that require efficient heat dissipation. With their high durability, vertical mounting type, and high thermal conductivity, they are a reliable and efficient solution for managing heat in electronic devices.

Customization:

Packing :

Product Packaging:
The Aluminum Heatsink will be packaged in a cardboard box with foam inserts to ensure safe delivery.



Golden Chain Products Industrial Co., Ltd.



+86 13823492359



cherry@jkd888.com



alu-heatsink.com