



6063 Alloy High Thermal Conductivity Aluminum Heat Sink for Enhanced Cooling Performance

Our Product Introduction

for more products please visit us on alu-heatsink.com

Basic Information

- Place of Origin: China, Guangdong
- Brand Name: No Brand
- Packaging Details: protect film
- Delivery Time: 15-30days
- Payment Terms: L/C, T/T



Product Specification

- Thermal Conductivity: High
- Dimensions: Various Sizes Available
- Surface Treatmentment: Anodized, Customized
- Durability: High
- Compatibility: Universal
- Sample Leadtime: 15 Days
- Alloy: 6063
- Mounting Type: Vertical
- Highlight: **6063 Alloy Aluminum Heat Sink,
High Thermal Conductivity Aluminum Heat Sink
,
Enhanced Cooling Performance Aluminum Heat Sink**



More Images



Product Description

Product Description:

The Aluminum Heatsink is a high-quality product designed to provide effective heat dissipation for various applications, including power stations, industrial equipment, and electronic devices. Made from 6063 alloy, this heatsink offers excellent thermal conductivity and durability, making it ideal for demanding environments.

The surface treatment of this heatsink is anodized, which not only enhances its appearance but also improves its corrosion resistance. Additionally, the surface treatment can be customized to meet specific requirements, ensuring compatibility with a wide range of applications.

With its high durability, the Aluminum Heatsink is built to last, offering reliable performance even under prolonged use and extreme conditions. This makes it a cost-effective solution for long-term heat management needs, providing peace of mind for users seeking a dependable cooling solution.

For customers interested in evaluating the product before making a purchase, samples are available upon request. This allows potential buyers to test the heatsink's performance and compatibility with their specific requirements, ensuring a confident decision when selecting this product for their application.

The Aluminum Heatsink is designed for universal compatibility, making it suitable for a wide range of devices and equipment that require efficient heat dissipation. Whether used in power stations, industrial machinery, or electronic devices, this heatsink extrusion offers a versatile solution for managing thermal issues effectively.

Features:

Product Name: Aluminum Heatsink
Alloy: 6063
Durability: High
Sample Leadtime: 15 Days
Dimensions: Various Sizes Available
Surface Treatmentment: Anodized, Customized

Technical Parameters:

Compatibility	Universal
Thermal Conductivity	High
Surface Treatment	Anodized, Customized
Alloy	6063
Sample Leadtime	15 Days
Mounting Type	Vertical
Durability	High
Dimensions	Various Sizes Available
Sample	Available

Applications:

Product Application Occasions and Scenarios for the Aluminum Heatsink:

When it comes to heat sink extrusion needs, the Aluminum Heatsink from No Brand is the perfect solution. Made from high-quality 6063 alloy in Guangdong, China, this heatsink is designed for optimum heat dissipation, making it ideal for various applications.

One of the key application scenarios for this product is in LED lighting. The Aluminum Heatsink is specifically designed to efficiently dissipate heat generated by LED lights, ensuring their longevity and performance. Whether it's for residential, commercial, or industrial LED lighting setups, this heatsink is a reliable choice.

Thanks to its anodized surface treatment and customizable options, the Aluminum Heatsink can be tailored to specific requirements, making it versatile for a wide range of projects. Its high durability ensures that it can withstand continuous use and harsh environments, providing long-lasting performance.

Whether you're working on LED fixtures, power electronic devices, or other heat-generating equipment, this heatsink is a dependable choice. The vertical mounting type offers flexibility in installation, allowing for easy integration into different systems.

With packaging details that include a protective film, you can be assured that the Aluminum Heatsink will arrive in excellent condition. Additionally, samples are available for testing purposes, giving you the opportunity to experience its quality firsthand.

For your convenience, the delivery time for this product is 15-30 days, and payment terms accepted include L/C and T/T. Trust in the Aluminum Heatsink from No Brand for your heat dissipation needs, and experience reliable performance in various application occasions.



+86 13823492359



cherry@jkd888.com



alu-heatsink.com