

China, Guangdong

No Brand


protect film



Anodized Aluminum Heat Sink for Vertical Mounting and Optimal Thermal Management

Basic Information

- Place of Origin:
- Brand Name:
- Packaging Details:
- Delivery Time: 15-30days
- Payment Terms: L/C, T/T



Product Specification

	Optimal Thermal Management Aluminum Heat Sink
Highlight:	Vertical Mounting Aluminum Heat Sink,
Surface Treatmentment: Anodized, Customized	
Mounting Type:	Vertical
Compatibility:	Universal
Durability:	High
• Alloy:	6063
Sample Leadtime:	15 Days
Sample:	Available
Dimensions:	Various Sizes Available

, Anodized Aluminum Heat Sink



More Images



Product Description:

The Aluminum Heatsink is a high-quality heat sink extrusion designed for maximum thermal conductivity and durability. Its universal compatibility makes it suitable for a wide range of applications, especially in the field of LED lighting. Whether you are using LED lighting for residential, commercial, or industrial purposes, this heatsink is the perfect solution to efficiently dissipate heat and ensure the longevity of your lighting fixtures.

With a high thermal conductivity rating, the Aluminum Heatsink effectively transfers heat away from the LED lighting components, preventing overheating and potential damage. This is crucial for maintaining the optimal performance of LED lighting systems, as excess heat can significantly reduce their lifespan and efficiency. The Aluminum Heatsink's ability to efficiently dissipate heat ensures that your LED lighting operates at its best for an extended period.

One of the standout features of this product is its anodized surface treatment, which not only enhances its appearance but also provides additional protection against corrosion and wear. The anodized finish gives the heatsink a sleek and professional look, making it ideal for both functional and aesthetic applications. Additionally, the option for customized surface treatments allows you to tailor the appearance of the heatsink to suit your specific needs and preferences.

When it comes to durability, the Aluminum Heatsink excels with its high-quality construction and materials. Built to withstand continuous use and exposure to various environmental factors, this heatsink is a reliable and long-lasting solution for your LED lighting systems. Its robust design ensures that it can endure the rigors of daily operation, providing you with peace of mind knowing that your LED lighting fixtures are well-protected.

For those interested in trying out the Aluminum Heatsink before making a larger purchase, samples are available for evaluation and testing. This allows you to experience the quality and performance of the product firsthand, ensuring that it meets your requirements and expectations. The availability of samples demonstrates the manufacturer's confidence in the Aluminum Heatsink's capabilities and reliability, giving you the opportunity to make an informed decision.

In conclusion, the Aluminum Heatsink is a versatile and high-performance cooling solution for LED lighting applications. Its universal compatibility, high thermal conductivity, availability of samples, anodized surface treatment, and durability make it a top choice for professionals and enthusiasts alike. Whether you are looking to enhance the efficiency of your LED lighting systems or protect them from overheating, this heatsink delivers exceptional performance and reliability. Invest in the Aluminum Heatsink today and experience the benefits of superior heat dissipation for your LED lighting projects.

Features:

Product Name: Aluminum Heatsink Sample Leadtime: 15 Days Sample: Available Compatibility: Universal Mounting Type: Vertical Alloy: 6063

Technical Parameters:

Compatibility	Universal
Thermal Conductivity	High
Sample Leadtime	15 Days
Mounting Type	Vertical
Sample	Available
Surface Treatment	Anodized, Customized
Alloy	6063
Durability	High
Dimensions	Various Sizes Available

Applications:

Aluminum heat sinks are versatile components used in various industries due to their excellent heat dissipation properties. With the _____ aluminum heat sink product from No Brand originating in Guangdong, China, customers can expect high-quality performance and durability. The packaging details include a protective film to ensure the product arrives safely at its destination.

These heat sink extrusions are ideal for a wide range of applications and scenarios. The mounting type is vertical, making them suitable for setups where heat needs to be dissipated efficiently in an upward direction. Available in various sizes, customers can choose the dimensions that best fit their requirements.

The aluminum heat sink is designed to withstand high temperatures and prolonged use, making it a reliable choice for demanding environments. The surface treatment options include anodized finishes and customized solutions, allowing for enhanced performance and aesthetic appeal.

Customers can expect a delivery time of 15-30 days, ensuring timely fulfillment of orders. The payment terms accepted include L/C and T/T, providing flexibility for different purchasing preferences. Additionally, sample lead times are set at 15 days, allowing customers to evaluate the product before making larger orders.

Whether used in electronic devices, LED lighting fixtures, or power supplies, the aluminum heat sink from No Brand offers a practical solution for managing heat effectively. Its high durability and customizable features make it a preferred choice for various product applications and industries.

Customization:

Product Customization Services for Aluminum Heatsink: Brand Name: No Brand Place of Origin: China, Guangdong Packaging Details: protect film Delivery Time: 15-30 days Payment Terms: L/C, T/T Sample: Available Surface Treatmentment: Anodized, Customized Sample Leadtime: 15 Days Alloy: 6063 Mounting Type: Vertical

Packing and Shipping:

Product Packaging: The Aluminum Heatsink is carefully packaged in a sturdy cardboard box to ensure safe delivery. Shipping: Ocean, Air, Express

