




Universal Compatibility Aluminum Heatsink High Durability and Various Sizes for Universal

Our Product Introduction

for more products please visit us on alu-heatsink.com

Basic Information

- Place of Origin: China, Guangdong
- Brand Name: No Brand
- Packaging Details: protect film
- Delivery Time: 15-30days
- Payment Terms: L/C, T/T



Product Specification

- Sample Leadtime: 15 Days
- Surface Treatmentment: Anodized, Customized
- Sample: Available
- Alloy: 6063
- Thermal Conductivity: High
- Durability: High
- Compatibility: Universal
- Mounting Type: Vertical
- Highlight: **High Durability Aluminum Heatsink,
Universal Aluminum Heatsink,
Various Sizes Aluminum Heatsink**



More Images



Product Description

Product Description:

The Aluminum Heatsink is a high-quality product designed to efficiently dissipate heat generated by LED lighting systems. Made from durable 6063 alloy, this heatsink offers reliable performance and durability for various LED lighting applications.

Surface Treatment:

The heatsink features an anodized surface treatment, which not only enhances its corrosion resistance but also provides a sleek and professional appearance. Additionally, the heatsink can be customized to meet specific design requirements, making it a versatile solution for different LED lighting projects.

Mounting Type:

Designed for vertical mounting, this heatsink offers easy installation and secure attachment for LED lighting fixtures. The vertical mounting type ensures optimal heat dissipation and helps maintain the overall performance and longevity of the LED lighting system.

Sample Leadtime:

With a sample lead time of 15 days, this heatsink allows for quick prototyping and testing of LED lighting designs. The fast turnaround time enables designers and manufacturers to evaluate the performance and compatibility of the heatsink with their LED lighting systems efficiently.

Dimensions:

Available in various sizes, the Aluminum Heatsink offers flexibility in design and compatibility with different LED lighting fixtures. Whether for residential, commercial, or industrial applications, the range of sizes ensures that the heatsink can be tailored to meet specific project requirements.

Overall, the Aluminum Heatsink is a reliable and efficient solution for heat management in LED lighting applications. Its anodized surface treatment, customizable design, vertical mounting type, quick sample lead time, and various available sizes make it a versatile choice for designers and manufacturers looking to optimize the performance and longevity of their LED lighting systems.

Features:

Product Name: Aluminum Heatsink

Durability: High

Compatibility: Universal

Surface Treatmentment: Anodized, Customized

Sample: Available

Dimensions: Various Sizes Available

Technical Parameters:

Sample Leadtime	15 Days
Thermal Conductivity	High
Sample	Available
Compatibility	Universal
Mounting Type	Vertical
Surface Treatment	Anodized, Customized
Dimensions	Various Sizes Available
Alloy	6063
Durability	High

Applications:

The Aluminum Heat Sink is a versatile product suitable for a wide range of applications and scenarios. Its high durability and thermal conductivity make it an ideal choice for various industries and purposes.

Product Application Occasions and Scenarios:

- LED Lighting: The Aluminum Heat Sink is perfect for use in LED lighting fixtures. Its high thermal conductivity helps dissipate heat efficiently, ensuring the longevity and optimal performance of the LEDs.
- Electronics: Whether used in computers, power supplies, or other electronic devices, the Aluminum Heat Sink provides effective heat dissipation, preventing overheating and ensuring the reliability of the electronics.
- Automotive: In the automotive industry, the Aluminum Heat Sink can be used in headlights, taillights, and other lighting components to maintain optimal operating temperatures and extend the lifespan of the lights.
- Industrial Machinery: The high durability of the Aluminum Heat Sink makes it suitable for use in various industrial machinery applications where heat management is crucial for performance and safety.
- Renewable Energy: From solar panels to wind turbines, the Aluminum Heat Sink can help manage heat in renewable energy systems, contributing to their efficiency and overall performance.

Key Product Attributes:

- Brand Name: No Brand
- Place of Origin: China, Guangdong
- Packaging Details: Protect film

- Delivery Time: 15-30 days
- Payment Terms: L/C, T/T
- Sample Leadtime: 15 Days
- Compatibility: Universal
- Durability: High
- Thermal Conductivity: High
- Sample: Available

Customization:

Product Customization Services for Aluminum Heatsink:

- Brand Name: No Brand
- Place of Origin: China, Guangdong
- Packaging Details: protect film
- Delivery Time: 15-30 days
- Payment Terms: L/C, T/T
- Sample: Available
- Alloy: 6063
- Durability: High
- Surface Treatment: Anodized, Customized
- Thermal Conductivity: High

Packing and Shipping:

Product Packaging:

The Aluminum Heatsink is carefully packaged in a sturdy cardboard box to ensure safe delivery.

Shipping:

Ocean, Air, Express



Golden Chain Products Industrial Co., Ltd.



+86 13823492359



cherry@jkd888.com



alu-heatsink.com