



6063 Alloy Power Station Samples for Your Production

Basic Information

• Place of Origin: China, Guangdong

Brand Name: No Brand
Packaging Details: protect film
Delivery Time: 15-30days
Payment Terms: L/C, T/T



Product Specification

• Thermal Conductivity: High

• Surface Treatmentment: Anodized, Customized

• Durability: High

• Dimensions: Various Sizes Available

Sample Leadtime: 15 Days
Alloy: 6063
Compatibility: Universal
Sample: Available

Highlight: 6063 Alloy Power Station Samples,
6063 Power Station Samples



More Images



Product Description:

The Aluminum Heatsink is a crucial component for managing the heat generated by LED heat sink systems in various applications, – including power stations and electronic devices. With its high thermal conductivity, the Aluminum Heatsink efficiently dissipates heat, ensuring optimal performance and longevity of the connected components.

Available in various sizes to accommodate different heat dissipation requirements, this Aluminum Heatsink is a versatile solution for a wide range of applications. Its universal compatibility makes it suitable for use with different LED heat sink systems and electronic devices, offering flexibility and convenience for users.

The Aluminum Heatsink features a vertical mounting type, allowing for easy installation and secure attachment to the LED heat sink system or electronic device. This mounting type ensures stability and efficient heat dissipation, contributing to the overall performance and reliability of the system.

Constructed from high-quality materials, the Aluminum Heatsink boasts high durability, offering long-lasting performance and protection for the connected components. Its robust design can withstand continuous heat dissipation, providing reliable cooling solutions for various applications.

In summary, the Aluminum Heatsink is a high-quality product designed for efficient heat dissipation in LED heat sink systems, power stations, and electronic devices. With its high thermal conductivity, universal compatibility, vertical mounting type, and high durability, this Aluminum Heatsink is a reliable and effective solution for managing heat in a wide range of applications.

Features:

Product Name: Aluminum Heatsink

Compatibility: Universal Sample Leadtime: 15 Days

Sample: Available Alloy: 6063

Thermal Conductivity: High

Technical Parameters:

Thermal Conductivity	High
Sample	Available
Dimensions	Various Sizes Available
Surface Treatmentment	Anodized, Customized
Alloy	6063
Sample Leadtime	15 Days
Durability	High
Compatibility	Universal
Mounting Type	Vertical

Applications:

Product Application Occasions and Scenarios for the Aluminum Heatsink:

The Aluminum Heatsink is a versatile product suitable for a wide range of applications in various industries. Whether you are looking to dissipate heat in electronic devices, lighting fixtures, or power station equipment, this heat sink extrusion is an ideal choice.

Brand Name: No Brand

Place of Origin: China, Guangdong Packaging Details: Protective film Delivery Time: 15-30 days Payment Terms: L/C, T/T Mounting Type: Vertical Sample Leadtime: 15 Days

Surface Treatment: Anodized, Customized Dimensions: Various Sizes Available

Alloy: 6063

With its excellent thermal conductivity and durability, the Aluminum Heatsink is perfect for use in power stations where efficient heat dissipation is crucial for the smooth operation of equipment. The anodized surface treatment not only enhances the heatsink's corrosion resistance but also allows for customization to meet specific requirements.

Furthermore, the vertical mounting type offers flexibility in installation, making it easy to integrate the heatsink into different systems and structures. Its availability in various sizes ensures compatibility with different components, providing a tailored solution for heat management needs.

Whether you are designing a new electronic device, upgrading lighting systems, or maintaining power station equipment, the Aluminum Heatsink is a reliable and effective heat dissipation solution that meets industry standards and specifications. Trust in its quality, performance, and versatility to enhance the efficiency and longevity of your products.

Customization:

Product Customization Services for Aluminum Heat Sink:

Brand Name: No Brand

Place of Origin: China, Guangdong Packaging Details: Protect film Delivery Time: 15-30 days Payment Terms: L/C, T/T Compatibility: Universal Durability: High

Dimensions: Various Sizes Available

Mounting Type: Vertical Sample: Available

Packing and Shipping:

Product Packaging:

The Aluminum Heatsink is carefully packaged in a sturdy cardboard box to ensure safe delivery.

Shipping:

Ocean, Air, Express



Golden Chain Products Industrial Co., Ltd.



+86 13823492359





alu-heatsink.com