




Anodized Surface Treatment Vertical Mounting Type Heat Sink Extrusion for Optimal Thermal Efficiency

Basic Information

• Place of Origin: China, Guangdong

Packaging Details: protect film
 Delivery Time: 15-30days
 Payment Terms: L/C, T/T



Product Specification

Thermal Conductivity: HighAlloy: 6063

Compatibility: Universal

• Surface Treatmentment: Anodized, Customized

Mounting Type: Vertical
Sample Leadtime: 15 Days
Durability: High
Sample: Available

• Highlight: anodized aluminum heatsink extrusion,

vertical mounting heatsink for thermal

efficiency

, aluminum heat sink with surface treatment

Product Description:

Its universal compatibility makes it suitable for a wide range of applications, ensuring that it can be used in various devices and setups... Whether you are looking to cool a power station or an LED fixture, this aluminum heatsink is a reliable choice.

The surface treatment of this heatsink is anodized, providing a protective layer that enhances durability and resistance to corrosion. Additionally, the option for customization allows you to tailor the finishes to suit your specific needs or branding requirements. For those interested in evaluating the product before making a larger purchase, samples are available upon request. The sample lead time for these units is 15 days, allowing you to test the heatsink's performance and quality firsthand.

Overall, the Aluminum Heatsink offers a versatile and efficient solution for managing heat in electronic devices. Its universal compatibility, high-quality alloy construction, anodized surface treatment, and availability of samples make it a practical choice for a wide range of applications.

Features:

Product Name: Aluminum Heatsink-----

Compatibility: Universal Sample: Available

Dimensions: Various Sizes Available

Sample Leadtime: 15 Days

Durability: High

Technical Parameters:

Durability	High
Mounting Type	Vertical
Compatibility	Universal
Sample	Available
Sample Leadtime	15 Days
Surface Treatment	Anodized, Customized
Alloy	6063
Thermal Conductivity	High
Dimensions	Various Sizes Available

Applications:

When it comes to effective heat dissipation for various electronic devices, the Aluminum Heat Sink is the ideal solution. This product, originating from China, Guangdong, boasts high durability and is crafted from the top-quality alloy 6063, ensuring reliability and longevity. The Aluminum Heat Sink is a versatile product suitable for a wide range of applications, with LED heat sink being one of the primary areas of use. Its high thermal conductivity allows for efficient heat transfer, making it perfect for scenarios where heat management is

Thanks to its vertical mounting type, the Aluminum Heat Sink is easy to install and can be used in various sizes, catering to different needs and specifications. Whether it's in industrial settings, commercial environments, or even at home, this product excels in dissipating

With packaging details including a protective film, rest assured that your Aluminum Heat Sink will arrive in perfect condition. The delivery time of 15-30 days means you can quickly get your hands on this essential heat management solution.

When it comes to payment terms, options like L/C and T/T make the purchasing process convenient and flexible. This, combined with the product's top-notch quality and performance, ensures a smooth and hassle-free experience.



Golden Chain Products Industrial Co., Ltd.





